

## LED LuxPanel 1200mm x 600mm



- Ideal alternative to most fluorescent luminaires
- Remote “plug and play” style driver
- Maintenance free - up to 60% cost of ownership savings
- Typical energy savings in excess of 50% compared to fluorescent
- Epistar LED and Tridonic Driver

[Click here for more information](#)



4800K	Description - White	Voltage	Barcode
LP612W50S48	Standard driver	230V	5015056528434
LP612W50E48	3hr Emergency driver	230V	5015056527024
LP612W50D48	Dimmable driver	230V	5015056528458
LP612W50ED48	3hr Emergency dimmable	230V	5015056528465


- Driver current = 1050mA

4800K	Description - Silver	Voltage	Barcode
LP612S50S48	Standard driver	230V	5015056528472
LP612S50E48	3hr Emergency driver	230V	5015056528489
LP612S50D48	Dimmable driver	230V	5015056528496
LP612S50ED48	3hr Emergency dimmable	230V	5015056528502

- Driver current = 1050mA

6000K	Description - White	Voltage	Barcode
LP612W50S60	Standard driver	230V	5015056528250
LP612W50E60	3hr Emergency driver	230V	5015056528267
LP612W50D60	Dimmable driver	230V	5015056528274
LP612W50ED60	3hr Emergency dimmable	230V	5015056528540

- Driver current = 1050mA



**5 year**  
GUARANTEE

**1 year**  
on site  
WARRANTY

5 years extended (3 years standard) guarantee and 1 year onsite warranty available in the UK. Rest of the world may vary, please ask your local distributor for more information.

**4800K**  
COOL  
WHITE

**6000K**  
DAYLIGHT  
WHITE

Available in 2 colour temperatures

▼ Continued

Tech Help Line  
 UK - **0845 194 7584**  
 Non UK - **+44 (0)1952 238 100**

Supplied by  
 BG Electrical Ltd  
 Stafford Park 1 TF3 3BD ENGLAND

Visit our website at  
[www.luceco.co](http://www.luceco.co)

6000K	Description - Silver	Voltage	Barcode
LP612S50S60	Standard driver	230V	5015056528557
LP612S50E60	3hr Emergency driver	230V	5015056528564
LP612S50D60	Dimmable driver	230V	5015056529479
LP66S28ED60	3hr Emergency dimmable	230V	5015056529486

- Driver current = 1050mA

#### Standards

EN 60598-1	Luminaires - General requirements	EN 61000-3-2	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions
EN 60598-2-2	Luminaires - Recessed	EN 62471	Photobiological safety of lamps and lamp systems
EN 61347-1	Lamp controlgear - Part 1: General and safety requirements	2002/96/EC	Waste Electrical & Electronic Equipment (WEEE)
EN 61347-2-13	Lamp controlgear - Part 2-13 : Particular requirements for d.c. or a.c. supplied electronic controlgear for LED modules	2011/65/EU	Restriction of the use of certain Hazardous Substances in EEE (RoHS)
EN 55015	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment	(EC) No 1907/2006	The Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
EN 61547	Equipment for general lighting purposes - EMC immunity requirements		

**LUCECO**

The luminaire contains built-in LED lamps.

The lamps cannot be changed in the luminaire.

874/2012

Tech Help Line  
 UK - **0845 194 7584**  
 Non UK - **+44 (0)1952 238 100**

Supplied by  
 BG Electrical Ltd  
 Stafford Park 1 TF3 3BD ENGLAND

Visit our website at  
[www.luceco.co](http://www.luceco.co)