

EXIT SIGNS



EXIT SIGNS

SINGLE SIDED LED EXIT  Pg 23

SABS LED EMERGENCY EXIT  Pg 24

DOUBLE SIDED LED EXIT  Pg 25

NOTE: Products must be installed by a qualified electrician

SINGLE SIDED EMERGENCY LED EXIT SIGN

Product details



Specifications

Code	EXIT/SGLWORD EXIT/SGLRMAN/L EXIT/SGLRMAN/R
Main Voltage	230 Vac 50Hz
Lamp Type	2W LED
Charge current	150mA (40mA)
Discharge Current	300mA (40mA)
Emergency lighting duration	2 hours
Dimensions (L x W x H)	375 x 28 x 145 mm
Maximum ambient temperature	+70°C

We are able to customise the perspex of our LED single-sided emergency exit sign to suit all customer requirements - if the two stock items do not suit the customers needs.

Features

- Emergency lighting duration 2 hours.
- Test button provided.
- The Emergency Exit Sign range of luminaries are ideally suited as stand-alone self contained single-sided, surface-mount fittings in new or existing buildings.

Benefits

- The LED arrangement provides a uniform illumination of the signs/legends with a high level of emergency illumination at floor level, or at the threshold of an exit door.

Applications

Inside Buildings

Warranty

3 year warranty

NOTE: Products must be installed by a qualified electrician

SABS EMERGENCY LED EXIT SIGN

Product details



Specifications

Code	EXIT/SGLSABS
Main Voltage	230 Vac 50Hz
Lamp Type	LED
Charge current	150mA
Discharge Current	300mA
Emergency lighting duration	3 hours
Battery Type	5 x 2 Ahr nickel-cadmium
Legend Height	150mm
Dimensions (L x W x H)	430 x 45 x 215 mm
Maximum ambient temperature	+70°C

Features

- Emergency lighting duration 3 hours.
- The Emergency Exit Sign range of luminaries are ideally suited as stand-alone self contained single-sided, surface-mount fittings in new or existing buildings.

Benefits

- The LED arrangement provides a uniform illumination of the signs/legends with a high level of emergency illumination at floor level, or at the threshold of an exit door.

Applications

Inside Buildings

Warranty

3 year warranty

NOTE: Products must be installed by a qualified electrician

DOUBLE SIDED EMERGENCY LED EXIT SIGN

Product details



Specifications

Code	EXIT/DBLWROD EXIT/DBLRMAN/L EXIT/DBLRMAN/R
Main Voltage	230 Vac 50Hz
Lamp Type	4W LED
Charge current	150mA (40mA)
Discharge Current	300mA (40mA)
Emergency lighting duration	90 minutes
Dimensions (L x W x H)	340 x 23 x 150 mm
Maximum ambient temperature	+70°C

Features

- Emergency lighting duration 90 Minutes.
- Test button provided.
- The Emergency Exit Sign range of luminaries are ideally suited as stand-alone self contained single-sided, surface-mount fittings in new or existing buildings.

Benefits

- The LED arrangement provides a uniform illumination of the signs/legends with a high level of emergency illumination at floor level, or at the threshold of an exit door.

Applications

Inside Buildings

Warranty

3 year warranty

NOTE: Products must be installed by a qualified electrician