

HIGH PRESSURE SODIUM

| WATT | TUBULAR (lm) | ELLIPTICAL (lm) |
|------|--------------|-----------------|
| 70 | 5 900 | 5 600 |
| 150 | 14 500 | 14 000 |
| 250 | 27 000 | 25 000 |
| 400 | 48 000 | 47 000 |
| 1000 | 130 000 | 128 000 |

METAL HALIDE

| WATT | TUBULAR (lm) | ELLIPTICAL (lm) |
|-------------------|--------------|-----------------|
| 70 | 5 000 | 4 900 |
| 150 | 11 500 | 10 500 |
| 250 | 19 000 | 17 000 |
| 400 | 35 000 | 33 000 |
| 1000 | 80 000 | - |
| 2000 8.8A (380V) | 200 000 | - |
| 2000 10.3A (380V) | 187 000 | - |

MERCURY VAPOUR

| WATT | ELLIPTICAL (lm) |
|------|-----------------|
| 80 | 3 800 |
| 125 | 6 200 |
| 250 | 12 700 |
| 400 | 22 000 |
| 1000 | 57 000 |

MERCURY BLENDED

| WATT | ELLIPTICAL (lm) |
|------|-----------------|
| 160 | 3 100 |
| 250 | 5 600 |
| 500 | 14 000 |

COMPACT FLUORESCENT

| | |
|---------|------|
| PL 9 | 600 |
| PL 13 | 900 |
| PL 18 | 1200 |
| PL 26 | 1800 |
| 13 CFL | 780 |
| 45 CFL | 2900 |
| 85 CFL | 5100 |
| 105 CFL | 6000 |

FLUORESCENT LAMPS

| | |
|---------------|-------|
| 18 W STANDARD | 1 200 |
| 36 W STANDARD | 2 850 |
| 58 W STANDARD | 4 600 |